United States Department of Agriculture • Forest Service
Northeastern Forest Experiment Station
Upper Darby, Pennsylvania
Ralph W. Marquis, Director
1955

Jonathan W. Wright

A BIBLIOGRAPHY ON

Forest Genetics and Forest Tree Improvement

1954

Station Paper No. 77

A BIBLIOGRAPHY ON

Forest Genetics and Forest Tree Improvement

1954

by

Jonathan W. Wright, *Geneticist*[1]

Northeastern Forest Experiment Station
Forest Service, U.S. Dept. Agriculture

INTRODUCTION

THE PRESENT BOOM in forest genetics makes it difficult for even the specialist to keep abreast of all the latest developments in this field. Therefore, in the fall of 1954 the Committee on Forest Tree Improvement, Society of American Foresters, asked the author to prepare a bibliography of publications issued in 1954.

As far as possible, all references that have a bearing on the genetics of forest trees are included. Also, some borderline references (for example, those on vegetative propagation) are included because they are primarily of interest to tree breeders.

This bibliography was prepared from standard forestry, botanical, and abstracting journals; experiment station publications; and correspondence with tree breeders in this

[1]The author is stationed at the Morris Arboretum, Philadelphia, Pa., in cooperation with the University of Pennsylvania.

country and abroad. Special thanks are due to W. Langner, who prepared a list of publications in Germany; and K. Sato, who prepared a list of publications in Japan.

The Society of American Foresters Committee on Forest Tree Improvement was also very helpful. Members of this committee, in addition to the author, are: Scott S. Pauley, chairman; Keith W. Dorman, Harry A. Fowells, F. I. Righter, Stephen N. Wycoff, and Bruce J. Zobel.

The bibliography is arranged alphabetically by authors. A subject-matter index can be found at the end.

BIBLIOGRAPHY

(1) Anonymous. 1954. The Institute of Paper Chemistry. Jour. Forestry 52: 688. Describes forest genetics activities of the Institute.

(2) ---------- 1954. Tagung der Arbeitsgemeinschaft für Forstgenetik und Forstpflanzenzüchtung. (Meeting of the Industrial Society of Forest Genetics and Forest Plant Breeding. In German.) Allg. Forstztschr. 9: 368.

(3) ---------- 1954. Proposals to improve identification and cultivation of poplar in the Near East. FAO Near East Poplar Conf. 1954, Rome. FAO/NEPC/6. 17 pp. Contains recommendations for breeding programs.

(4) Anderl, J. 1954. Pfropfungen an Waldbäumen. (Grafting forest trees. In German.) Allg. Forstztschr. 9: 241-243.

(5) Anderson, Edgar, and Stebbins, G. L., Jr. 1954. Hybridization as an evolutionary mechanism. Evolution 8: 378-388. Discusses the role of hybridization in the rise of angiosperms in the Cretaceous and in the recent evolution of the oaks.

(6) Anderson, Enar. 1954. Några data om pollenvariationen och pollen fertiliteten hos gran och tall. (Some data concerning pollen variation and pollen fertility of spruce and pine. In Swedish: English summary.) Svensk Papperstidn. 57 (7): 242-255 and 57 (18): 654-676.

(7) Arentsens, S. 1954. Och años de observaciones en álamos. (Eight years of observations on poplars. In Spanish.) In Bosques y Maderas (special issue of

Chile Maderero). 15 pp. Includes observations on hybrids.

(8) Ardikusuma, R. I. 1954. Pertjobaan tanaman dalam kebun kaju asing dari Balai Penjelidikan Kehutanan. (Planting experiments with exotic tree species in the gardens of the Forest Research Institute. In Indonesia Balai Penjelidikan Kehutanan. Pengumuman Istimewa 8. 50 pp.

(9) Arnborg, T. 1954. (The Society for Practical Forest Tree Breeding. In Swedish.) Skogen 41: 89-90. An English account of this paper is available in: Arnborg, Tore, and Hadders, Gustaf. The Society for Practical Forest Improvement. Sällskapets för praktisk skogsförädling ledamöter Meddel. 59. 13 pp.

(10) Babcock, Ernst B. 1954. The Forest Genetics Research Foundation. Northeast. Forest Tree Improve. Conf. Proc. 1: 99-100.

(11) Baldwin, Henry I. 1954. Provenance tests of common exotics in the Northeast. Northeast. Forest Tree Improve. Conf. Proc. 1: 33-38.

(12) ---------- 1954. Seed certification and forest genetics. Jour. Forestry 52: 654-655.

(13) ---------- 1954. Need and opportunities for cooperation on selection of wild types. Northeast. Forest Tree Improve. Conf. Proc. 1: 92-93.

(14) ---------- and Funking, D. L. 1954. Twenty years growth of hybrid poplars. N. H. Forestry and Recreation Dept. Fox Forest Notes 56. 2 pp.

(15) Bannister, M. H. 1954. Variation in a sample of Pinus radiata cones from the Nelson district. Roy. Soc. New Zeal. Trans. 82: 25-40.

(16) Barner, J. 1954. Eine Selektionsmöglichkeit verschiedener lichtreagibler Pappelklone. (A selection possibility of different light-reacting poplar clones. In German.) Ztschr. f. Forstgenetik 3: 135.

(17) Barner, H. 1954. (Problems concerning our supply of seed, especially of Douglasfir from British Columbia and Washington. In Danish.) Dansk Skovfor. Tidsskr. 39: 462-478.

(18) Bauer, F. 1954. Zur Rassenfrage der Roteiche. (Races of red oak. In German.) Allg. Forstztschr. 9: 470-474.

(19) Beattie, R. Kent, and Diller, Jesse D. 1954. Fifty years of chestnut blight in America. Jour. Forestry 52: 323-329.

(20) Bergman, F. 1954. Om skogsträdens sjukdomsresistens och dess utnyttjande inom skogsträdsförädling. (The disease resistance of trees and its use in forest tree breeding. In Swedish.) Årsberätt. Föreningen för Växtförädling av Skogsträd 1953: 70-98.

(21) Boe, K. N. 1954. Periodicity of cone crops for five Montana conifers. Mont. Acad. Sci. Proc 14: 5-9.

(22) Boldt. H. 1954. Beobachtungen bei Kiefern-Pfropfungen. (Research on pine grafting.) Forst u. Jagd 4: 338.

(23) Børset, Ola. 1954. Skogbrukets planteforedling. (Forest tree breeding. In Norwegian.) Tidsskr. for Skogbruk 62: 48-53. Contains information on poplar hybrids and spruce races.

(24) ---------- 1954. Skogtraernes arvelgenskaper og skogskjøtselen. (Forest tree breeding. In Norwegian.) Norsk. Skogindustri 8: 97-106.

(25) ---------- 1954. Harzgrana. (Harz spruce. In Norwegian.) Skogbrukeren 29: 41-45.

(26) ---------- 1954. Ospefrøets spireevne. (The germination power of aspen seeds. In Norwegian: English summary.) Reprinted from Norske Skogforsøksvesen 44. 44 pp. Contains information on differences due to mother tree.

(27) Bouvarel, P. 1954. L'amélioration des arbres forestiers en Suède et au Danemark. (Improvement of forest trees in Sweden and Denmark. In French: German summary.) Ann. de l'Ecole Natl. des Eaux et Forêts et de la Sta.de Rech. et Exper. 14: 1-72.

(28) ---------- 1954. Variabilité de l'epicea (Picea excelsa Link.) dans le Jura Français. (Variability of Norway spruce in the French Jura. In French.) Rev. Forest. Franç. 2: 85-98.

(29) Bradshaw, A. D. 1954. Man's influence on hybridisation in Crataegus. Internatl. Cong. Bot. Proc. 8 Sect. 10: 217. Paris.

(30) Bramble, W. C. 1954. Forest requirements: from the viewpoint of research. Northeast. Forest Tree Improve. Conf. Proc. 1: 6-7.

(31) Brandt, K. 1954. Proveniensforsøg med skovfyr m.v.i. Jørgensens plantage, Djursland. (Provenance experiments with Scots pine etc. in Jorgensens plantation, Djursland. In Danish: English summary.) Forstl. Forsøgsv. i Danmark 21 (4): 449-458.

(32) Brantseg, A. 1954. Frøproduktion og tilvekst hod gran. (Seed production and growth in spruce. In Norwegian.) Tidsskr. for Skogbruk 62: 67-71.

(33) Brown, R. C. 1954. Genetic variation in resistance of trees to insect attack. Northeast. Forest Tree Improve. Conf. Proc. 1: 30-32.

(34) Buchholz, E. 1954. Vegetative Vermehrung der Eiche. (Vegetative propagation of oak. In German.) Allg. Forstztschr. 9 (12/13): 144-145.

(35) Camefort, H. 1954. Présence et localisation de l'acide ribonucléique dans le point végétatif de quelques gymnospermes. (The presence and localization of ribonucleic acid in the growing point of some gymnosperms. In French.) Paris Acad. des Sci. Compt. Rend. 238: 922-924.

(36) Cappelli, J. S., and Claus, E. P. 1954. Studies on the hayfever plants of western Pennsylvania. III. Comparative survey of anemophilous tree pollens. Pa. Acad. Sci. Proc. 28: 212-216.

(37) Chandler, Clyde. 1954. Tree improvement work at the Boyce Thompson Institute for plant research. Northeast. Forest Tree Improve. Conf. Proc. 1: 83-84.

(38) Chase, Spencer B., and Galle, F. C. 1954. Pine grafting--a preliminary report. TVA Div. Forestry Relat. Tech. Note 18. 5 pp. Norris, Tenn.

(39) Chiba, S. 1954. (Inheritance of coloring of needles in the fall of Sugi. In Japanese.) Sanrin 836: 35-37. Cryptomeria.

(40) Cirin, A., and Bundău, I. 1954. Hibiridarea vegetativă a salbei. (Vegetative hybridization of Euonymus. In Rumanian.) Rev. Pădurilor 69: 140-141.

(41) Clapper, R. B. 1954. Chestnut breeding, techniques and results. I. Breeding material and pollination techniques. Jour. Hered. 45: 107-114.

(42) ---------- 1954. Chestnut breeding, techniques and results. Jour. Hered. 45: 201-208.

(43) Clifford, H. T. 1954. A quantitative study of a presumed hybrid swarm between Eucalyptus elaeophora and E. goniocalyx. Austral. Jour. Bot. 2: 325-336.

(44) ---------- 1954. Analysis of suspected hybrid swarms in the genus Eucalyptus. Hered. 8: 259-269.

(45) Cook, David B. 1954. Larch and the problems of forest tree improvement. Northeast. Forest Tree Improve. Conf. Proc. 1: 49-50.

(46) Cyprus Forestry Department. 1954. Grafting Pinus spp. Cyprus Forestry Dept. Rpt. 1953: 24.

(47) ---------- 1954. Provenance trials of Pinus halepensis var. brutia. Cyprus Forestry Dept. Rpt. 1953: 24.

(48) Cunningham, F. E. 1954. Methods of establishing plantations of hybrid-poplar cuttings. U.S. Forest Serv. Northeast. Forest Expt. Sta., Sta. Paper 66. 10 pp.

(49) Czeczott, H. 1954. The past and present distribution of Pinus halepensis Mill. and Pinus brutia Ten. Internatl. Cong. Bot. Proc. 8 Sect. 5: 196-197. Paris. Contains information on intermediate forms.

(50) Datta, M. 1954. Cytogenetical studies on two species of Morus. Cytologia 19: 86-95.

(51) David, R. 1954. La multiplication végétative du pin maritime. (Vegetative propagation of maritime pine. In French.) Nature (Paris) 3235: 424-428.

(52) Davids, R. C. 1954. Hybrid poplars make news! Farm Jour. 77 (10): 76-78.

(53) Dellingshausen, M. von. 1954. Der Anteil fremden Pollens bei der Befruchtung in einer Birkensamen-

plantage. (The proportion of foreign pollen fertilizing a birch seed orchard. In German: English summary.) Ztschr. f. Forstgenetik 3: 52-53.

(54) Diller, J. D. 1954. A potential timber-type Chinese chestnut. U.S. Forest Serv. Northeast. Forest Expt. Sta. Forest Res. Note 37. 4 pp., illus.

(55) Dimpflmeier, R. 1954. Pfropfungen an Waldbäumen durch Professor Dr. H. Mayr vor 55 bis 60 Jahren. (Grafting of forest trees by Dr. Henrich Mayr 55 to 60 years ago. In German: English summary.) Ztschr. f. Forstgenetik 3: 122-125.

(56) Doran, W. L. 1954. The vegetative propagation of some forest trees. Northeast. Forest Tree Improve. Conf. Proc. 1: 41-47.

(57) ---------- 1954. The vegetative propagation of Ginkgo. Jour. Forestry 52: 176-177.

(58) Duffield, J. W. 1954. Studies of extraction, storage, and testing of pine pollen. Ztschr. f. Forstgenetik 3: 39-45.

(59) ---------- 1954. The importance of species hybridization and polyploidy in forest tree improvement. Jour. Forestry 52: 645-646.

(60) ---------- 1954. Forest tree improvement activities in the Pacific Northwest. Jour. Forestry 52: 692-693.

(61) Dunn, Stuart, and Townsend, Ralph J. 1954. Propagation of sugar maple by vegetative cuttings. Jour. Forestry 52: 678-679.

(62) Easley, L. T. 1954. Loblolly pine seed production areas. Jour. Forestry 52: 672-673.

(63) Eckbo, N. B. 1954. (Production of superior trees by controlled pollination and vegetative propagation. In Norwegian.) Skogbrukeren 29: 209-211.

(64) Edwards, M. V. 1954. A summary of information on Pinus contorta, Part I. Forestry Abs. 15: 389-396. Contains information on genetics.

(65) Eklundh, Ehrenberg C. 1954. Almsjukan, historik och atgärder för framstallning av mot sjukdomen resistenta almar. (Elm disease history and proposal for

breeding disease resistant elms. In Swedish.) Svenska Skogsvårdsfören Tidskr. 52: 35-42.

(66) Eliason, E. J. 1954. On the Massey, Ontario, seed source for red pine. Northeast. Forest Tree Improve. Conf. Proc. 1: 50-51.

(67) Elliott, G. A. 1954. The forest tree seed committee. Internatl. Seed Testing Assoc. Proc. 18 (1953): 253-255.

(68) Engstrom, W. H. 1954. Oregon cone crop, 1954. Oregon State Bd. Forestry Res. Note 16. 7 pp.

(69) Erdtman, G. 1954. Pollen morphology and plant taxonomy. Bot. Notiser 2: 65-81.

(70) Eversole, K. R. 1954. Using the climbing rope and saddle in forestry. Jour. Forestry 52: 285-286.

(71) Ferré, Y. de. 1954. La structure des plantules de conifères, son importance en phylogénie. (The structure of conifer seedlings, its phylogenetic significance. In French.) Internatl. Cong. Bot. Proc. 8 Sect. 4: 78-80. Paris.

(72) ---------- 1954. Resistance de quelques especes de Pseudotsuga au Phaeocryptopus gäumanni (Rhode) Petrak. (Resistance of some species of Pseudotsuga to P. gäumanni.) Internatl. Cong. Bot. Proc. 8 Sect. 13. Paris.

(73) Fillmore, R. H. 1954. Open frame propagation of cuttings under mist. Amer. Nurseryman 100: 12-13, 67-74. Includes information on Juniperus and Picea.

(74) Fischer, F. 1954. Forstliche Pflanzenzüchtung als Mittel zur Steigerung des Waldertrages. (Forest tree breeding to increase forest growth. In German.) Schweiz. Ztschr. f. Forstw. 105: 165-183.

(75) ---------- 1954. Neue Wege zur Steigerung des Waldertrages. (New ways of increasing forest yield. In German.) Wald u. Holz 35 (9): 178-185.

(76) Flordh, S. 1954. (Studies of F_2 populations of hybrid aspen. In Swedish.) Svenska Skogsvårdsför. Tidskr. 52: 287-298.

(77) Ford, H. F. 1954. Effect of sterilizing treatments on survival and growth of hybrid poplar cuttings. U.S. Forest Serv. Northeast. Forest Expt. Sta.Forest Res. Note 33. 3 pp.

(78) ---------- and Snow, A. G. 1954. Summer is the best time to thin hybrid poplar plantations. U.S. Forest Serv. Northeast. Forest Expt. Sta. Forest Res. Note 40. 2 pp.

(79) Forshall, C. P. 1954. Kottens och fröets utbildning efter själv- och korsbefruktning hos tall. (Cone and seed production after self- and cross-fertilization in pine. In Swedish.) Sweden Statens Skogsforskningsinstitut Meddel. 43 (10), 42 pp.

(80) Foster, C. H. 1954. Future size and quality requirements for softwood timber trees in the Northeast. Northeast. Forest Tree Improve. Conf. Proc. 1: 8-12.

(81) Gambi, G. 1954. Il pioppo tremulo dell' Aspromonte. (The aspromonte aspen. In Italian: French and English summaries.) Monti e Boschi 5 (4): 161-164.

(82) Garin, G. I., and Mary, J. 1954. Trees can be no better than their parents. Ala. Sta. Highlights Agr. Res. 1: 7. 1954.

(83) Gerhard. 1954. Zur anzucht von Sitkafichten. (The culture of Sitka spruce. In German.) Forst u. Holz 9: 97-98.

(84) Goo, M. 1954. Is germination per cent of Sugi (Cryptomeria japonica) seeds affected by the position in crown of their cones? (In Japanese: English summary.) Jap. Forestry Soc. Jour. 36: 24-26.

(85) Gravatt, G. F., Diller, J. D., Berry, F. H., Graves, A. H., and Nienstaedt, H. 1954. Breeding timber chestnuts for blight resistance. Northeast. Forest Tree Improve. Conf. Proc. 1: 70-75.

(86) Graves, A. H., and Nienstaedt, Hans. 1954. Chestnut breeding report for 1954. North. Nut Growers Assoc. Ann. Rpt. 44: 136-144.

(87) Greguss, P. 1954. Origine et évolution des Coniférophytes. (Origin and evolution of the conifers. In French.) Internatl. Cong. Bot. Proc. 8 Sect. 5: 178-188. Paris.

(88) Guinier, P. 1954. Nomenclature for poplars: application of the decisions of the International Botanical Congress at Stockholm. International Poplar Comn. Rpt. 7 Sess. (Germany, May 1953): 37-38.

(89) Haddock, Philip G. 1954. Sapling sugar pines grown from excised mature embryos. Jour. Forestry 52: 434-437.

(90) Halls, L. K., and Hawley, N. R. 1954. Slash pine seed production is increased by seed-tree release. U.S. Forest Serv. Southeast. Forest Expt. Sta., Res. Note 66. 2 pp.

(91) Hansbrough, J. R. 1954. Genetic variation in disease resistance of native forest-tree species. Northeast. Forest Tree Improve. Conf. Proc. 1: 26-30.

(92) Hasegawa, K. 1954. On hydroponics and treatments with the growth hormones of cuttings of Metasequoia glyptostroboides. (In Japanese.) Kyoto Univ. Forests Bul. 24: 63-65.

(93) ---------- and Konoe, R. 1954. Über das Wurzelzystem und Sprossewurzelverhältnis der Stecklinge von Metasequoia. (Root systems and top-root ratio of Metasequoia cuttings. In Japanese: English summary.) Jap. Forestry Soc. Jour. 36: 164-167.

(94) Haugberg, M. 1954. Hybrid-osp. (Hybrid aspen. In Norwegian.) Tidsskr. for Skogbruk 62: 114-117.

(95) ---------- 1954. Noen resultater fra avkommforsøk med osp. (Some results of progeny trials with aspen. In Norwegian: Norwegian and English summaries.) Norsk. Skogindustri 8: 180-185.

(96) Heikinheimo, O. 1954. Geographische Lage der Baumschule, Herkunft des Samens und Zeit der Pflanzung. (Geographic position of tree nurseries, origin of seed and time of planting. In Finnish: German summary.) Acta Forest. Fenn. 61 (9). 28 pp.

(97) Heimburger, C. C. 1954. Forest tree breeding in Canada. Jour. Forestry 52: 682-684.

(98) Heit, C. E. 1954. Tree and shrub seed law in New York State. Northeast. Forest Tree Improve. Conf. Proc. 1: 52-53.

(99) Heitmüller, H. H. 1954. Beobachtungen über individuelle Resistenz gegen Gilletella cooleyi Gill. an Douglasie. (Studies on individuals of douglas-fir resistant to Gilleteella cooleyi. In German.) Ztschr. f. Forstgenetik 3: 99-100.

(100) ---------- 1954. Vegetative Vermehrung unter Verwendung von Wuchsstoffen bei Populus canescens Smith und Populus tremula L. (The use of growth hormones in the vegetative propagation of Populus canescens and Populus tremula. In German.) Ztschr. f. Forstgenetik 3: 135-136.

(101) Heribert-Nilsson. 1954. Über hochkomplexe Bastardverbindungen in der Gattung Salix. (Complex hybrids in the genus Salix. In German.) Hereditas 40: 517-522.

(102) Hesmer, H., and Feldmann, A. 1954. Die natürliche Verbreitung und der frühe Anbau der Kiefer im Ostmünsterland. (The natural distribution and early culture of Scotch pine in Ostmünsterland. In German.) Forstarchiv 25: 225-237.

(103) Hitt, Robert G. 1954. A progress report on methods for stimulating flowering at an early age on red pine, Pinus resinosa. Univ. Wis. Forestry Res. Note 15. 2 pp.

(104) Hoekstra, P. E. 1954. New blood for southern pines. South. Lumberman 189 (2369): 182-183.

(105) House, William P. 1954. Forest requirements: from the viewpoint of practice. Northeast. Forest Tree Improve. Conf. Proc. 1: 4-5.

(106) Houtzagers, G. 1954. Het Populierencongres voor het Nabije Oosten te Damascus van 5-9 April 1954. I. (The poplar congress at Damascus, April 5-9, 1954. In Dutch.) Tijdschr. Nederland. Heidemaatsch. 65: 207-211.

(107) ---------- 1954. Applications of genetics in forestry and reforestations. Internatl. Cong. Bot. Proc. 8 Sect. 13: 10-12. Paris.

(108) Hyodo, M. 1954. (On the propagation of Robinia pseudoacacia var. umbraculifera by means of stem- and root-cuttings, especially by treating with hormone chemical. In Japanese: English summary.)

Rin-Go-Shiken-Hokohu 70: 47-56. (Govt. Forest Expt. Sta. Bul. 70: 47-56.)

(109) Hyun, S. K. 1954. Induction of polyploidy in pines by means of colchicine treatment. Ztschr. f. Forstgenetik 3: 25-33.

(110) Illies, Z. M. 1954. Weitere Erfahrungen mit colchizinierten Lärchen. (Further experiments with colchicine-treated larch. In German.) Ztschr. f. Forstgenetik 3: 136-137.

(111) Irgens-Müller, H. 1954. Rödeg. (Red oak. In Danish.) Svenska Skogsvardsför. Tidskr. 52: 27-33.

(112) Isaac, L. A. 1954. Western Europe welcomes invasion of Douglasfir. Amer. Forests 60 (10): 22-23, 52-54. Information on races.

(113) Jamblinne, A. de. 1954. Hybridations experimentales dans le genre Pinus. (Experimental hybridization in the genus Pinus. In French.) Ztschr. f. Forstgenetik 3: 125-130.

(114) Jensen, H. 1954. The establishment of forest tree seed orchards at Ramlösa 1941-1954. Göteborg. Bot. Trädgård. Meddel. 19: 157-192.

(115) Joachim, H. Fr. 1954. Beiträge zur Kenntnis von Populus euramericana forma gelrica Houtzagers. (Contributions to the knowledge of Populus euramericana forma gelrica. In German.) Arch. Forstw. 3: 23-36.

(116) ---------- 1954. Probleme der Pappelforschung. (Problems in poplar research.) Arch. Forstw. 3: 487-502.

(117) ---------- 1954. Die Rinde der Pappelarten und -sorten und ihre Eignung als Erkennungsmerkmal für die Pappelbestimmung. (The bark of poplar species and varieties and its diagnostic characters for poplar identification. In German.) Arch. Forstw. 3 (7/8): 620-644.

(118) Johnson, Albert G. 1954. White pine breeding, Cabot Foundation. Northeast. Forest Tree Improve. Conf. Proc. 1: 85.

(119) ---------- 1954. Juvenile selection criteria. Northeast. Forest Tree Improve. Conf. Proc. 1: 75-77.

(120) Johnson, Albert G. 1954. Betula lenta var. uber Ashe. Rhodora 56: 129-131.

(121) Johnsson, H., Kiellander, C. L., and Stefansson, E. 1954. Kottutveckling och fröbeskaffenhet hos ympträd av tall. (Cone development and seed quality on pine grafts. In Swedish.) Årsberätt. För. Växtförädling Skogstrad 1953: 20-51. Also in Svenska Skogsvårdsför. Tidskr. 51: 358-389. 1953.

(122) Joransen, Philip N. 1954. Genetic studies of pulpwood species, with special reference to aspen. Inst. Paper Chem. Res. Bul. 21 (2): 55-62.

(123) Jurkevič, I. D. 1954. Ob osobennostjah rasprostranenija rannei i pozdnei form duba cereščatogo po tipam lesa v BSSR. (Peculiarities of the distribution of early- and late-flushing forms of Quercus robur according to forest types in the Belorussian S.S.R. In Russian.) Akad. Nauk Dok. SSSR 95: 183-185.

(124) Kadambi, K., and Dabral, S. N. 1954. Air layering in forestry practice. Indian Forester 80: 721-724.

(125) Kaufman, Clemens M. 1954. Extensive application of genetics by the silviculturist. Jour. Forestry 52: 647-648.

(126) ---------- 1954. The Committee on Southern Forest Tree Improvement. Jour. Forestry 52: 685-686.

(127) Klaehn, F. U. 1954. Alte Pfropfungen von Waldbäumen. Forst- u. Holzwirt. 9: 484-485.

(128) ---------- 1954. Über die Maserbirke und die Möglichkeiten ihres Anbaues. (On curly birch and its culture. In German.) Forst- u. Holzwirt. 9: 29-31.

(129) Kobendza, R. 1953. Czym jest topola rogalinska? (What is Populus rogalinensis? In Polish: Russian and English summaries.) Rocz. Dendrol. Polsk. Tow. Bot. 9: 153-166. Warszaw. P. alba x tremula.

(130) Konovalov, N. A. 1954. (From the work in breeding poplars. In Russian.) Bot. Zhur. 39: 773-775.

(131) Krahl-Urban, J. 1954. Buchenrassenstudien im Bayerisch-Böhmischen Wald, in den Bayerischen Alpen und in den Karawanken. (Racial studies of beech in the Bavarian-Bohemian forests, in the Bavarian Alps,

and in the Karawanken. In German.) Forstwiss. Centbl. 73: 309-325.

(132) Krahl-Urban, J. 1954. Einige neue Ergebnisse von Rassenstudien bei der Rotbuche. (New results of racial studies of red beech. In German.) Ztschr. f. Forstgenetik 3: 137-138.

(133) Kriebel, Howard B. 1954. Tree breeding at the Ohio Agricultural Experiment Station. Northeast. Forest Tree Improve. Conf. Proc. 1: 52.

(134) ---------- 1954. Bark thickness as a factor in resistance to white pine weevil injury. Jour. Forestry 52: 842-845.

(135) Laing, E. V. 1954. Studies of variation in conifers. Report on Forest Research for Year Ending March 1953: 121-122. H.M.S.O., London.

(136) Laitakari, E. 1954. Poppeli--tulevaisuuden puu. (Poplar--tree of the future. In Finnish: English summary.) Metsät. Aikak. 1954 (1): 11-16. Helsinki. Contains information on breeding and hybrids.

(137) Langdon, O. G. 1954. Gum yields of South Florida slash pine. U. S. Forest Serv. Southeast. Forest Expt. Sta., Res. Note 47. Phenotypic comparison of yields from various regions.

(138) Langlet, O. 1954. Importence d'une specification rigoureuse de l'origine des semences. (Importance of rigorous specifications of seed origin. In French.) Internatl. Cong. Bot. Proc. 8 Sect. 13: 19-22. Paris.

(139) ---------- 1954. (Selection of spruce of German origin. In Swedish.) Skogen 41: 133.

(140) Langner, W. 1954. Die Entwicklung der Forstgenetik und Forstpflanzenzüchtung in Deutschland. (The development of forest genetics and forest tree breeding in Germany. In German.) Ztschr. f. Forstgenetik 3: 55-60.

(141) ---------- 1954. Über die Ursachen einiger phänotypischer Besonderheiten bei Fichtenpfropflingen. (On the origin of some phenotypic peculiarities from spruce grafting. In German: English summary.) Ztschr. f. Forstgenetik. 3: 83-86.

(142) Langner, W. 1954. Dominante Vererbung von Wüchsigkeit und Wuchsform bei Fichte (Picea abies). (Dominant inheritance of growth rate and form in spruce. In German.) Ztschr. f. Forstgenetik 3: 138.

(143) ---------- 1954. Kreuzungsversuch zwischen nordischer und schwarzwälder Fichte. (Crossing experiments between northern and Black Forest spruce. In German.) Ztschr. f. Forstgenetik 3: 138.

(144) ---------- 1954. Blütenbildung an Zwergfichte. (Flower formation in dwarf spruce. In German.) Ztschr. f. Forstgenetik 3: 138.

(145) ---------- 1954. Rückmutation bei Zwergfichte. (Back mutations in dwarf spruce. In German.) Ztschr. f. Forstgenetik 3: 138-139.

(146) ---------- 1954. Kreuzungsversuche mit Hilfe einer freistehenden Feuerwehrleiter. (Crossing research with the help of a free-standing fire ladder. In German.) Ztschr. f. Forstgenetik 3: 139.

(147) ---------- 1954. Spontane Wurzelbildung an einem Lärchenpfropfreis. (Spontaneous root formation on a larch graft. In German.) Ztschr. f. Forstgenetik 3: 139.

(148) Larsen, C. Mühle. 1954. Du rapport entre le sexe et le développement chez les arbres dioïques. (Relationship between sex and growth in dioecious trees. In French.) Internatl. Cong. Bot. Proc. 8 Sect. 13: 25-26. Paris.

(149) ---------- 1954. Étude relative aux variations de la grandeur des stomates dans le genre Populus. (Variations in the size of stomata in the genus Populus.) Internatl. Cong. Bot. Proc. 8 Sect. 13: 26-27. Paris.

(150) Larsen, S. Syrach. 1954. Om at bevare pioneren ag pioneränden. (In Danish.) Hedeselsk. Tidsskr. 75 (11): 259-271.

(151) ---------- 1954. Forestry and genetics. Internatl. Cong. Bot. Proc. 8 Sect. 13: 1-9. Paris.

(152) Lavenzzini, A. 1954. (The selection of plants and the planting practice are essential factors in poplar returns. In Italian.) Avvenire Agr. 62: 325-328.

(153) Lee, C. L. 1954. Sex chromosomes in Ginkgo biloba. Amer. Jour. Bot. 41: 545-549.

(154) Li, Hui-Lin, and Wright, Jonathan W. 1954. The Chinese tuliptree (Liriodendron chinense) in Northeastern United States. Univ. Pa. Morris Arboretum Bul. 5: 34-35. Comparison of the Chinese and American species.

(155) Libby, William J. 1954. Forest genetics in the Lake States, an annotated bibliography. Univ. Mich. School Nat. Resources. 62 pp. (Prelim. Ed.)

(156) Little, E. L., Jr., and Dorman, K. W. 1954. Slash pine (Pinus elliottii), including South Florida slash pine, nomenclature and description. U.S. Forest Serv. Southeast. Forest Expt. Sta., Sta. Paper 36. 82 pp.

(157) Littlefield, E. W., and Eliason, E. J. 1954. On the testing of some conifer species and types in New York State. Northeast. Forest Tree Improve. Conf. Proc. 1: 38-41.

(158) Ljunger, A. 1954. Primärympning och plusträdsurval av ek. (Primary grafting of oak and the selection of plus trees. In Swedish.) Årsberätt. För. Växtförädling Skogsträd 1953: 52-69. Also in Svenska Skogsvårdsför. Tidskr. 52: 139-156. 1954.

(159) Løfting, E. C. L. 1954. (Denmark's silver fir problem. Part I. Choice of provenances. In Danish: English summary.) Danish Forest Expt. Sta. Rpt. 21 (4): 337-381.

(160) Løken, A. 1954. Unormale rakleformer hos vanly bjørk (Betula pubescens Ehrh.). (Abnormal flower formation in Betula pubescens. In Danish: German summary.) Tidsskr. for Skogbruk. 62: 12-13.

(161) Loma, L. de la. 1954. Genética forestal. (Forest genetics. In Spanish.) Rev. Ganad. 14: 53-60.

(162) Lombarts, J. 1954. Bouturer avec humidification. (Rooting with humidification. In French.) Ztschr. f. Forstgenetik 3: 104-105.

(163) Maekawa, F. 1954. (Phylogenetic considerations on conifer taxonomy. 1. In Japanese.) Jap. Jour. Bot. 29: 307-313.

(164) Marcet, E. 1954. Aspe und Weisspappeln, waldbaulich und wirtschaftlich wichtige Baumarten der Zukunft. (Aspen and white poplars, species of silvicultural and industrial importance for the future. In German: French summary.) Schweiz. Ztschr. f. Forstw. 105: 425-450. Contains a review of European work on breeding and propagation.

(165) ---------- 1954. Un procédé pour mieux réeussir les semis de tremble. (A procedure for best using the seeds of aspen. In French.) Schweiz Ztschr. f. Forstw. 105: 621-625.

(166) Martin, D. M. 1954. Better-bred trees. Nature Mag. 47: 411-412.

(167) Matthews, J. D. 1954. Forest Genetics. Report on Forest Research for Year Ending March 1953: 56-60. H.M.S.O., London.

(168) ---------- 1954. Japanese larches at Dunkeld, Perthshire. A study in variation. Gt. Brit. Forestry Comm., London Forest Record 25. 23 pp.

(169) Mazek-Fialla, K. 1954. Die Steigerung der Harzerträge durch Selektion. (The increase of resin yields through selection. In German.) Allg. Forstzeitung 65: 68. Wien.

(170) McComb, A. L., and Hansen, Norman J. 1954. A naturally occurring aspen-poplar hybrid. Jour. Forestry 52: 528-529.

(171) MacDonald, J.A.B. 1954. The place of Pinus contorta in British silviculture. Forestry 27: 25-30. Discusses different provenances.

(172) McGregor, W. H. D., Cowan, D. Ross, and Spurr, H. Stephen. 1954. Three races of Scotch pine compared in southeastern Michigan. Univ. Mich. Dept. Forestry, Mich. Forestry 5. 2 pp.

(173) McNeill, W. M. 1954. Observations on cone and seed production in plantations of Scots pine in Scotland. Forestry 27: 122-133.

(174) McNitt. V. J. 1954. Top-grafting technique uses plastics. Amer. Nurseryman 100 (6): 19, 63-65.

(175) Mergen, François. 1954. Grafting succulent slash pine scions. U. S. Forest Serv. Southeast Forest Expt. Sta. Res. Note 59. 2 pp.

(176) Mergen, François. 1954. Variation in 2-year old slash pine seedlings. U.S. Forest Serv. Southeast. Forest Expt. Sta. Res. Note 62. 2 pp.

(177) ---------- 1954. Improving the early growth of longleaf pine. Forest Farmer 13 (11): 8, 9, 16, 17, 19.

(178) ---------- 1954. Self-fertilization in slash pine reduces height growth. U.S. Forest Serv. Southeast. Forest Expt. Sta. Res. Note 67. 2 pp.

(179) ---------- 1954. Anatomical study of slash pine graft unions. Florida Acad. Sci. Quart. Jour. 17 (4): 237-245.

(180) ---------- 1954. Tree improvement research at the Lake City, Florida Research Center--a project analysis. U. S. Forest Serv. Southeast. Forest Expt. Sta., Sta. Paper 45. 59 pp.

(181) ---------- 1954. Vegetative propagation techniques for genetic studies of slash pine (Pinus elliottii Engelm.). Amer. Soc. Plant Physiol. Program 29th Ann. Meeting: 6-7.

(182) ---------- 1954. Inheritance of oleoresin yield in slash pine. ATFA Jour. 17 (2): 16-18. Also in Naval Stores Rev. 64 (9): 8, 9, 20.

(183) ---------- 1954. Heteroplastic micrografting of slash pine. U. S. Forest Serv. Southeast. Forest Expt. Sta., Sta. Paper 47. 17 pp.

(184) ---------- 1954. Inheritance of deformities in slash pine. South. Lumberman 189 (2370): 30-32.

(185) ---------- and Hoekstra, P. E. 1954. Germination differences in slash pine from different sources. South. Lumberman 189 (2364): 62, 64, 66.

(186) ---------- and Pomeroy, Kenneth B. 1954. Suggestions for better slash pine seed. Forest Farmer 13 (5): 6-7, 15.

(187) ---------- and Rossol, Harry. 1954. How to root and graft slash pine. U. S. Forest Serv. Southeast. Forest Expt. Sta., Sta. Paper 46. 22 pp.

(188) Meyer, H. 1954. Der Bastard Pinus strobus x excelsa. (The hybrid P. strobus x excelsa.) Internatl. Cong. Union Forest Res. Organ. Proc. 1953 Section 22: No. 13. 2 pp. Rome.

(189) Meyer, H. 1954. Rhabdoclinebefall an Douglasien verschiedener Provenienz. (Rhabdocline damage on Douglas-fir of various provenances. In German.) Forst- u. Holzwirt 9: 180-182.

(190) ---------- 1954. Zur Blasenrostresistenzzüchtung. (Breeding for blister rust resistance. In German.) Ztschr. f. Forstgenetik 3: 101-104.

(191) Migita, K. 1954. (Vegetative propagation of so-called races of Cryptomeria japonica D. Don. by cuttings. In Japanese.) Jap. Forest Soc. Jour. 36: 202-203.

(192) Miles, E. E., and Hoekstra, P. E. 1954. Tree climbing safety hint. Jour. Forestry 52: 526-527.

(193) Mirov, N. T. 1954. Lodgepole pine discovered and misnamed. Madroño 12: 156-157.

(194) ---------- 1954. Apache pine and its relationship to ponderosa pine. Madroño 12: 251-252.

(195) Molinier, R. 1954. Sur la nature et la signification de divers bois de pins dans la Sud-Est de la France. (On the nature and significance of different pine woods in southeast France. In French.) Internatl. Cong. Bot. Proc. 8 Sect. 13: 35-38. Paris.

(196) Mudra, A. 1954. Ein Vergleich verschiedener Versuchsmethoden. (A comparison of different experimental methods. In German.) Ztschr. f. Pflanzenzücht. 33: 419-423.

(197) Mudrich, H. 1954. Stellungnahme zu J. P. Vité 'Unterschiedliche Anfälligkeit von Larix europaea, leptolepis und deren Bastarden gegen den Lärchenblasenfuss (Taeniothrips laricivorus Krat.) als mögliche Ursache verschiedener Wipfelformen'. (Reply to J. P. Vite's 'Varying susceptibility of Larix europaea, L. leptolepis and hybrids to attack by Taeniothrips laricivorus as a possible cause of differences in crown form'. In German.) Ztschr. f. Forstgenetik 3: 87-88.

(198) Müller-Olsen, Carl, and Šimak, Milan. 1954. X-ray photography employed in germination analysis of Scots Pine (Pinus silvestris L.). Sweden Statens Skogsforskningsinstitut Meddel. 44 (6): 1-19. Contains data for several mother trees.

(199) Nakamura, K., Goo, M., and Hasegawa, S. 1954. (Does the quality of seed change yearly? An experiment employing seeds from the same mother tree of Cryptomeria japonica. In Japanese: English summary.) Jap. Forestry Soc. Jour. 36: 1-2.

(200) Nash, R. W. 1954. Chinese chestnut plantings, 1953. Maine Forest Serv. Forest Insect Notes 2: 7. 1954.

(201) Natividade, J. V. 1954. La selection et l'amélioration genetique due chêneliège au Portugal. (Selection and genetic improvement in the cork oak of Portugal. In French.) Rev. Forest. Franç. 1954: 346-354.

(202) Newcomer, Earl H. 1954. The karyotype and possible sec chromosomes of Ginkgo biloba. Amer. Jour. Bot. 41: 542-545.

(203) Nielsen, P. Chr. and de Muckadell, M. Schaffalitzky. 1954. Flower observations and controlled pollinations in Fagus. Ztschr. f. Forstgenetik 3: 6-16.

(204) Nienstaedt, Hans. 1954. Applications of vegetative propagation to forest tree improvement. Northeast. Forest Tree Improve. Conf. Proc. 1: 47-48.

(205) ---------- 1954. Hemlock project at the Connecticut Agricultural Experiment Station. Northeast. Forest Tree Improve. Conf. Proc. 1: 82-83.

(206) Nitto, M., and Shimizu, K. 1954. (On the chestnut varieties resistant to the chestnut gall wasp. In Japanese and English.) Tokyo Univ. Forests Bul. 47: 173-188.

(207) Nordström, L. 1954. Om den inom vissa delar av vårt land dåliga talltypen--dess uppkomstsätt samt praktiska konsekvenser därav. (The inferior pine strains in certain parts of Sweden--their origin and practical significance. In Swedish.) Norrlands Skogsvårdsförbunds Tidskrift. 1954. (3): 435-487.

(208) Okimura, Y., and Toyama, T. 1954. Studies on cuttings of Pinus densiflora. (I). Jap. Forestry Soc. Jour. 36: 323-326.

(209) Oksbjerg, E. 1954. Om udspringstid og skudstraekning i grankulturer. (Date of flushing and shoot growth in Norway spruce plantations. In Danish.) Hedeselsk. Tidsskr. 75: 49-55. Contains informa-

tion on plantations of early- and late-flushing types.

(210) Orr-Ewing, A. L. 1954. Inbreeding experiments with Douglas fir. Forestry Chron. 30: 7-20.

(211) Ostrom, Carl E. 1954. Southern Forest Tree Improvement Committee. Northeast. Forest Tree Improve. Conf. Proc. 1: 95-97.

(212) Ozawa, J. 1954. (Experiment on fruit promotion of Japanese larch. In Japanese: English summary. Hokkaido Forest Expt. Sta. Spec. Rpt. 2: 44-49.

(213) ---------- and Matsuura, T. 1953. (Observation of the flower-buds of todo fir in Hokkaido prefectural forest. In Japanese.) Japan Forestry Expt. Sta. Sapporo Br. Kenkyû happyô kai kôen shû: 29-38.

(214) Pajchl, J. 1954. (The selection and cultivation of willows. In Czech: English summary.) Práce Vyzkumn. Úst Lesn. ČSR 4: 213-234.

(215) Paolini, A. 1954. Los nuevos álamos hibridos. (New hybrid poplars. In Spanish.) Chacra 24 (286): 36-37.

(216) Parrish, Frank T. 1954. Use requirements: hardwoods. Northeast. Forest Tree Improve. Conf. Proc. 1: 13-17.

(217) Patton, R. F., and Riker, A. J. 1954. Top growth and root development of rooted white pine cuttings. Jour. Forestry 52: 675-677.

(218) Pauley, Scott S. 1954. The photoperiodic response and its importance in tree improvement. Internatl. Cong. Bot. Proc. 8 Sect. 13: 13-16. Paris.

(219) ---------- 1954. Variation in time of break of dormancy among altitudinal ecotypes of Populus trichocarpa. Genetics Soc. Amer. Rec. 23: 59-60.

(220) ---------- 1954. Influence of light on break of dormancy in various tree species. Genetics Soc. Amer. Rec. 23: 60.

(221) ---------- 1954. Tree improvement studies of the Maria Moors Cabot Foundation for botanical research. Northeast. Forest Tree Improve. Conf. Proc. 1: 68-70.

(222) Pauley, Scott S. 1954. The scope of forest genetics. Jour. Forestry 52: 643-644.

(223) ---------- 1954. Forest genetics--its scope and application. Wis. Silver Anniversary Forestry Conf. Proc. (Nov. 30-Dec. 1, 1953): 92-97.

(224) ---------- 1954. Increasing yield of pulp fiber through the application of genetics in silviculture. Amer. Pulpwood Assoc. 1954 Pulpwood Annual. 2 pp.

(225) ---------- and Perry, Thomas O. 1954. Ecotypic variation of the photoperiodic response in Populus. Jour. Arnold Arboretum 35: 167-188.

(226) Pavari, A. 1954. Un importante centro de studi dendrologici: l'Arboretum Taurinense. (The Arboretum Taurinense at Turin. In Italian: French and English summaries.) Monti e Boschi 5 (8): 339-349.

(227) Peace, T. R., and Jobling, J. 1954. Varietal trials and other work on poplars. Report on Forest Research for Year Ending March 1953: 53-55. H.M.S.O., London.

(228) Pease, R. W. 1954. Growing American holly for ornamental planting. Science Serves Your Farm. W. Va. Univ. Agr. Expt. Sta. Bul. 363, part 4: 5, 7. Mentions varieties.

(229) ---------- 1954. Growing chestnuts from seed. W. Va. Univ. Agr. Expt. Sta. Circ. 90. 9 pp.

(230) Perry, Thomas O. 1954. Controlled pollination of pine species in North America. Jour. Forestry 52: 666-671.

(231) Persson, A. 1954. Plantagefrö av masurbjörk. (Seed orchard production of figured-birch seed. In Swedish.) Skogen 41: 160-161, 163.

(232) Peschaut, R. 1954. Beitrag zur Geschichte des Anbaues von euramerkanischen Pappeln in Osterreich. (Observations on the history of the culture of European-American hybrid poplars in Austria. In German.) Osterr. Forst- u. Holzwirt. 9: 58-59, 62.

(233) Poensgen, R. 1954. Der Standort der Samenplantage. (The location of seed orchards. In German.) Forst- u. Holzwirt 9: 381.

(234) Pomeroy, K. B. 1954. Better trees for tomorrow. Fla. Grower and Rancher 17 (2): 12, 34.

(235) ---------- 1954. Progress at the Lake City Research Center. Naval Stores Internatl. Yearbook: 63-66.

(236) ---------- 1954. Crystal gazing in gum naval stores. ATFA Jour. 16 (10): 8. Also with title "Looking Ahead With Naval Stores". Forest Farmer 13 (12): 14, 18.

(237) ---------- and Mergen, François. 1954. Better forests a reality. Natl. Container Digest 8(4): 5.

(238) Porter, W. 1954. Testing for resistance to the blister rust disease of western white pine in British Columbia. Canada Dept. Agr. Sci. Serv. Forest Biol. Div. Proj. 51.01.03 Interim Rpt. 12 pp. (processed.) Victoria, B. C.

(239) Pourtet, J., and Turpin, Paul. 1954. Catalogue des espèces cultivées dans l'Arboretum des Barres. (Catalogue of species cultivated in the Arboretum of les Barres. In French.) Ann. de l'Ecole nationale des Eaux et Forêts 9 (1) 2nd ed. 245 pp. Nancy.

(240) Pryor, L. D. 1954. The inheritance of inflorescence characters in Eucalyptus. New South Wales Linnean Soc. 79 (3/4): 79-89.

(241) ---------- and Willis, J. H. 1954. A new Victorian (and South Australian) Eucalyptus. Victorian Nat. 71 (12): 125-129. Contains discussion of variability and relationships of E. Zaromapholoia Pryor and Willis.

(242) Quintin, S. 1954. Bouturage de quelques conifères et le rôle de l'auxine dans la formation des racines. (Propagation by cuttings of some conifers, and the role of auxins in root formation. In French.) Trav. Lab. Forest. Toulouse 1 (5), Art. 16. 22 pp.

(243) Rao, H. S. 1954. Chromosome numbers in forest plants. Indian Forester 80: 551-552.

(244) Rees, L. W., and Brown, R. M. 1954. Wood density and seed source in young plantation red pine. Jour. Forestry 52: 662-665.

(245) Reginster, P. 1954. Méthode d'appreciation des peuplements à graines. (Methods of appraising elite stands for seed production. In French.) Soc. Forest. Belgique Bul. 61: 217-244.

(246) Rehackova, O. 1954. Untersuchung über ide jährlichen Veränderungen des Keimprozentes und der Keimungsgeschwindigkeit von Föhren- und Lärchensamen. (Research on yearly changes in germination percent and germination speed in fir and larch. In German.) Schweiz. Ztschr. f. Forstw. 105: 459-467.

(247) Rhodes, A. D. 1954. Irradiation studies at the University of Massachusetts. Northeast. Forest Tree Improve. Conf. Proc. 1: 84.

(248) Righter, F. I. 1954. Forest tree improvement research in California. Jour. Forestry 52: 680-682, illus.

(249) Riker, A. J. 1954. Opportunities in disease and insect control through genetics. Jour. Forestry 52: 651-652.

(250) ---------- and Patton, R. F. 1954. Breeding of Pinus strobus for quality and resistance to blister rust. Wis. Forestry Res. Note 12. 2 pp. (Same title in Internatl. Bot. Cong. Proc. 8 Sect. 13: 23-24. Paris.)

(251) Robak, H. 1954. (Foreign trees in Finland. In Norwegian.) Tidsskr. for Skogbruk 62: 345-350.

(252) Rohmeder, E. 1954. 23 jährige bayerische Anbauversuche mit grüner Douglasie verschiedener Herkunft. (23-year-old Bavarian provenance tests with green Douglas-fir. In German.) Forst- u. Holzwirt 9: 179-180.

(253) ---------- 1954. Erreichtes und Erreichbares in der forstlichen Resistenzzüchtung. (Attained and attainable in resistance breeding in forest trees. In German.) Allg. Forstztschr. 9: 529-536.

(254) ---------- 1954. Umwelt und Erbanlagen bei der Fichtensamenausbeute. (Environment and heritable characters in the seed yield of spruce. In German: French and English summaries.) Ztschr. f. Forstgenetik 3: 113-118.

(255) Rohmeder, E., and Boiselle, R. 1953/54. Erklärung zu dem Douglasienherkunftsversuch v. Prof. Dr. Münch im Stiftswald des Forstamtes Kaiserslautern. (Explanation of the Douglas-fir provenance research of Prof. Münch in the Kaiserslautern forest district. In German.) Österr. Allg. Forst u. Jagd Ztg. 125: 186.

(256) ---------- and Lederhuber, M. 1954. Anbauversuche mit fremdländischen Baumarten im forstlichen Versuchsgarten Grafrath. (Research with exotics in the forest experiment garden at Grafrath. In German.) Deut. Baumschule 6: 233-249.

(257) Rohmeder, Marion. 1954. Ein zweckmässiges Bestäubungsgerät. (A useful pollination instrument. In German.) Ztschr. f. Forstgenetik 3: 54-55.

(258) ---------- 1954. Amerikanische Aufbewahrungsversuche mit forstlichen Saatgut bei niederen Temperaturen. (American low-temperature experiments with forest seed. In German.) Allg. Forstztschr. 9: 139-141.

(259) Rohrhofer, J. 1954. Eine Fichte von eigenartiger Wuchsform. (A spruce with peculiar growth form. In German.) Zentbl. f. das Gesam. Forstw. 73: 104-105.

(260) Rubner, K. 1954. Zur Frage der Entstehung der Alpinen Lärchenrassen. (On the question of the development of alpine larch races. In German.) Ztschr. f. Forstgenetik 3: 49-51.

(261) Ruden, T. 1954. Om valbjørk og endel andre unormale veddannelser hos bjørk. (On speckled birch and some other forms of curled birch. In Norwegian: English summary.) Norske Skogsforsøksv. Meddel. 43: 455-505.

(262) Rudolf, P. O. 1954. Age of seed tree and earliness of shoot growth in young red pine seedlings. U. S. Forest Serv. Lake States Forest Expt. Sta. Tech. Note 422. 1 p.

(263) ---------- 1954. Seed source and earliness of shoot growth in young red pine seedlings. U. S. Forest Serv. Lake States Forest Expt. Sta. Tech. Note 423. 1 p.

(264) Rudolf, P. O. 1954. The Lake States Forest Tree Improvement Committee. Northeast. Forest Tree Improve. Conf. Proc. 1: 97-98.

(265) ---------- 1954. Forest tree improvement work in the Lake States. Jour. Forestry 52: 688-689.

(266) Sarbroe, Axel S. 1954. Forestry in Denmark, a guide to our visitors. Danish Forest Soc. 3rd ed., Copenhagen, 118 pp. Contains information about tree breeding and brief biographies of 72 Danish foresters, including tree breeders.

(267) Sato, Y., Kondo, Y., and Hashizume, H. 1954. (Artificial control of the sex-differentiation of Japanese red pine strobile. II. The effect of light on the sex-differentiation. In Japanese: English summary.) Jap. Forestry Soc. Trans. 63: 128-129.

(268) ---------- and Muto, K. 1954. (On the viability of pollen of some forest trees. In Japanese: English summary.) Jap. Forestry Soc. Trans. 63: 126-128.

(269) ---------- and Muto, K. 1954. Über die Lebensdauer des Blütenstaubs von Salix bakko Kimura. (The longevity of pollen of S. bakko. In German: German and Japanese summaries.) Hokkaido Univ. Expt. Forest Res. Bul. 17: 15-22.

(270) Satoo, S. 1954. (Origin and development of adventitious roots in cuttings of Chamaecyparis obtusa. In Japanese and English.) Jap. Forestry Soc. Jour. Soc. 36: 355-359.

(271) Satoo, T., Goo, M., and Hasegawa, S. 1954. (Germination of Cryptomeria seeds from cones that remained green on the tree for two years. In Japanese: English summary.) Jap. Forestry Soc. Jour. 36: 53-54.

(272) Sauer, E. 1954. Beobachtungen an zwittrigen Pappeln. (Studies of hermaphroditic poplars. In German: English summary.) Ztschr. f. Forstgenetik 3:89-91.

(273) Sax, Karl. 1954. The control of tree growth by phloem blocks. Jour. Arnold Arboretum 35: 251-258.

(274) Scepotjev, F. L. 1954. Novye gibridnye formy osiny. (New hybrid forms of aspen. In Russian.) Akad. Nauk Dok. SSSR 97 (1): 161-164.

(275) Schaffalitzky de Muckadell, M. 1954. Juvenile stages in woody plants. Physiol. Plantarum 7: 782-796. Grafting experiments.

(276) Schantz-Hansen, T., and Jensen, R. A., 1954. A study of jack pine source of seed. Minn. Forestry Note 25. 2 pp.

(277) Schmidt, H. 1954. Forstpflanzenzüchtung auf der Tagung der Arbeitsgemeinschaft für Forstgenetik und Forstpflanzenzüchtung in Schmalenbeck und Ekebo. (Forest tree breeding at the meeting of the Industrial Association for Forest Genetics and Forest Tree Breeding at Schmalenbeck and Ekebo. In German.) Allg. Forstztschr. 9: 486-487.

(278) ---------- 1954. Kartierung bodenständiger Bestände. (Mapping indigenous stands. In German.) Ztschr. f. Forstgenetik 3: 118-122.

(279) Schmidt, W. 1954. Physiologische Teste im Keimlingsalter. (Physiological tests of seedling age. In German.) Internatl. Cong. Bot. Proc. 8 Sect. 13: 29-30.

(280) ---------- 1954. Kiefernherkünfte und Einzelstammabsaaten auf der Versuchsfläche Kaltenbronn Schwarzwald. (Scotch pine origin and single tree seeding at the Kaltenbronn experimental plots, Black Forest. In German.) Züchter 24 (6): 167-174.

(281) Schober, R. 1953/54. Douglasien-Provenienzversuche I. (Douglas-fir provenance research. In German.) Allg. Forst- und Jagd Ztg. 125: 160-179.

(282) Schönbach, H. 1954. Probleme der Forstpflanzenzüchtung. (Problems of forest tree breeding. In German.) Forst- und Jagd, Sonderheft, 38-41.

(283) ---------- 1954. Berichte über die 4. Tagung der Arbeitsgemeinschaft für Forstgenetik und Forstpflanzenzüchtung II. in Ekebo vom 19-21. Juli 1954. (Observations on the 4th meeting of the Industrial Association for Forest Genetics and Forest Tree Breeding II. Ekebo, July 19-21, 1954. In German.) Ztschr. f. Forstgenetik 8: 132-135.

(284) ---------- 1954. Celluloseuntersuchungen an Einzelstämmen und Klonen der Pappel. (Cellulose investigations on single stems and clones of poplar. In German.) Ztschr. f. Forstgenetik 3: 139-140.

(285) Schopmeyer, C. S., Mergen, François, and Evans, Thomas C. 1954. Applicability of Poiseuille's law to exudation of oleoresin from wounds on slash pine. Plant Physiol. 29: 82-87.

(286) Schramm, J. R., and Schreiner, E. J. 1954. The Michaux Quercetum. Univ. Pa. Morris Arboretum Bul. 5: 54-57.

(287) Schreiner, E. J. 1954. Forest tree improvement work in the Northeast. Jour. Forestry 52: 689-691.

(288) ---------- 1954. Possibilities of inbreeding, selective intraspecific breeding, racial and species hybridization, and polyploidy. Northeast. Forest Tree Improve. Conf. Proc. 1: 64-68.

(289) ---------- 1954. Need and opportunities for cooperation on breeding. Northeast. Forest Tree Improve. Conf. Proc. 1: 94-95.

(290) Schröck, O. 1954. Der individuelle Wachstumsgang und seine Bedeutung für die Methodik der Forstpflanzenzüchtung. (Individual growth and its significance in tree breeding methodology. In German.) Ztschr. f. Forstgenetik 3: 140-141.

(291) Schrötter, F. W. von. 1954. Über zwei Typen der Japanlärche (Larix leptolepis Gord.) in Schleswig Holstein. (Two types of Larix leptolepis in Schleswig Holstein. In German.) Ztschr. f. Forstgenetik 3: 33-38.

(292) ---------- 1954. Forstgenetik im Waldbau. (Forest genetics in silviculture. In German.) Ztschr. f. Forstgenetik 3: 69-83.

(293) Schulenburg, A. F. v. d. 1954. Probleme um Provenienzfragen bei Vorwaldholzarten für die Neubewaldung von Ödlandsböden. (The question of provenance in pioneer species for the afforestation of sterile soils. In German: French summary.) Internatl. Cong. Bot. Proc. 8 Sect. 13: 22-23. Paris.

(294) Seitz, F. W. 1954. Die Bewertung eines Norm-Abweichers aus der Graupappelmannifaltigkeit als Zuchtmittel. (The evaluation of deviations from the normal gray poplar diversity as a research average. In German.) Internatl. Cong. Bot. Proc. 8 Sect. 13: 28-29. Paris.

(295) Seitz, F. W. 1954. Über das Auftreten von Triploiden nach der Selbstung anomaler Zwitterblüten einer Graupappelform. (The occurrence of triploids after selfing flowers of gray poplar. In German.) Ztschr. f. Forstgenetik 3: 1-5.

(296) ---------- 1954. Über den Selbstungs- und Kreuzungserfolg bei Verwendung des Pollens der zwittrigen Graupappel von Dillingen. (Selfing and crossing results following the use of pollen from a perfect-flowered gray poplar at Dillingen. In German.) Ztschr. f. Forstgenetik 3: 141.

(297) Sekawin, M. 1954. (First impressions on new crosses made in 1953. In Italian.) Cong. Naz. del Pioppo. Atti. 1953: 209-213.

(298) Shea, K. R. 1954. Poplar improvement in Wisconsin. I. Regulated pollination, seed storage, and control of damping-off. II. Hypoxylon canker of aspen. Ph.D. thesis, Univ. Wis. 137 pp., illus.

(299) ---------- Kuntz, J. E., and Riker, A. J. 1954. Breeding poplars for disease resistance. Univ. Wis. Forestry Res. Note 15.

(300) ---------- and Riker, A. J. 1954. Breeding poplars for disease resistance. (Abs.) Phytopathology 44: 505.

(301) Shigemoto, M. 1954. (The growth of various races of Sugi (Cryptomeria japonica) at Kitayama, Kyoto. II. Comparison of the growth of various races of 'Shirosugi'. In Japanese: English summary.) Jap. Forestry Soc. Jour. 34: 348-350.

(302) Siegl, H. 1954. Zwei interessante Weisspappelgruppen im Schlosspark Berg. (Two interesting white poplar groups on Schlosspark Mountain. In German.) Allg. Forstztschr. 9: 236-238.

(303) Šimak, Milan. 1954. (Relations between seed size and seed number in differently large cones of individual trees (P. silvestris L.). In Swedish: English summary.) Sweden Statens Skogsforskningsinstitut Meddel 43 (8): 15 pp.

(304) ---------- and Gustafsson, Å. 1954. Fröbeskaffenheten hos modertråd och ympar av tall. (Seed properties in pine parent trees and grafts. In Swedish:

Swedish and English summaries.) Sweden Statens Skogsforskningsinstitut Meddel. 44 (2): 1-81.

(305) Šimak, Milan, and Gustafsson, Åke. 1954. X-ray photography and sensitivity in forest tree species. Hereditas 39: 458-468. Contains data on different mother trees.

(306) Simmonds, N. W. 1954. Chromosome behaviour in some tropical plants. Heredity 8: 139-146. Includes chromosome numbers of some trees.

(307) Slavin, B. H. 1954. The Seneca hybrid maple. Phytologia 5: 1. X Acer senecaensis (A. leucoderme x saccharum).

(308) Smith, Richard H., and Mergen, François. 1954. Pityophthorus pulicarius (Zimm.), a bark beetle attacking scions of grafted slash pines. U.S. Forest Serv. Southeast. Forest Expt. Sta. Res. Note 64. 2 pp.

(309) ---------- and Mergen, François. 1954. A bark beetle attacking scions of grafted slash pines. Jour. Forestry 52: 864-865.

(310) Søegaard, B. 1954. (Controlled pollination of five sister trees of European larch. In Danish: English summary.) Danish Forest Expt. Sta. Rpt. 21 (4): 435-447.

(311) ---------- 1954. Resistance test against infection by Didymascella thujina (Dur.) Marie in Thuya plicata Lamb. Internatl. Cong. Bot. Proc. 8 Sect. 13: 120-121.

(312) Southern Forest Experiment Station. 1954. Hybrid willow cuttings in the Delta and South Arkansas. U.S. Forest Serv. South. Forest Expt. Sta. Ann. Rpt. 1953: 12-13.

(313) Squillace, A. E., and Bingham, R. T. 1954. Forest genetics research in the northern Rocky Mountain region. Jour. Forestry 52: 691-692.

(314) ---------- and Bingham, R. T. 1954. Breeding for improved growth rate and timber quality in western white pine. Jour. Forestry 52: 656-661.

(315) Stanek, W. 1954. Der Lärchenwald in Finnland. (Larch forest in Finland. In German.) Holz-Zentbl.

80: 216. Describes species and hybrids grown in Finland.

(316) Stern, K. 1954. Zur Entwicklung eines forstlichen Sortenversuchswesens. (The development of a forest variety test garden. In German.) Ztschr. f. Forstgenetik 3: 91-98.

(317) ---------- 1954. Ein Modell für die Wechselwirkungen des Wachstums. (A model for the reciprocal action of growth. In German.) Züchter 24: 216-220.

(318) ---------- 1954. Berichte über die 4. Tagung der Arbeitsgemeinschaft für Forstgenetik and Forstpflanzenzüchtung. I. In Schmalenbeck vom 15-17 Juli 1954. (Observations on the fourth meeting of the Industrial Association for Forest Genetics and Forest Plant Breeding in Schmalenbeck from July 15-17, 1954. In German.) Ztschr. f. Forstgenetik 3: 130-132.

(319) ---------- 1954. Die Teilstückgrösse im Sortenversuch. (Plot size in varietal testing.) Ztschr. f. Forstgenetik 3: 141.

(320) Sugama, R. 1954. (Adaptabilities test for the imported trees. In Japanese: English summary.) Ryuku Forestry Expt. Sta. Testing Rpt. 2: 36-41.

(321) Taisitiroo, S., Goo, M., and Sato, H. 1954. Germination of Cryptomeria seeds from cones which remained green on the tree for two years. Jap. Forestry Soc. Jour. 36: 53-54.

(322) Taylor, Fred H. 1954. Maple research at the Vermont Agricultural Experiment Station. Northeast. Forest Tree Improve. Conf. Proc. 1: 51-52.

(323) Tennessee Valley Authority, Division of Forestry Relations. 1954. Seed orchards planned. Super trees sought. Seed sources tested. Pine grafts survive. In TVA Div. Forestry Relat. Ann. Rpt. 1954: 9-10.

(324) Texas Forest Service. 1954. Forest tree improvement program of the Texas Forest Service, second progress report. Texas Forest Serv. Circ. 38. 12 pp.

(325) Toda, R. 1954. (A method to indicate the degree of crown slenderness of individual trees. II. Result from "Kumotosi", a clone of Cryptomeria japonica,

and Pinus densiflora in so-called "Hyuga Pine" area. In Japanese: English summary.) Jap. Forestry Soc. Jour. 36: 123-127.

(326) Toyama, S. 1954. (Studies on breeding forest trees. In Japanese: English summary.) Meguro (Tokyo) Forest Expt. Sta. Bul. 66. 269 pp.

(327) Tulecke, W. R. 1954. Studies in vitro on the pollen of Ginkgo biloba. Dissertation Abs. 14: 589.

(328) United States Department of Agriculture, Agricultural Research Service Horticultural Crops Research Branch, Section of Fruit and Nut Crops and Diseases. 1954. Chestnut blight and resistant chestnuts. U.S. Dept. Agr. Farmer's Bul. 2068. 21 pp.

(329) Vaartaga, O. 1954. Photoperiodic ecotypes of trees. Canad. Jour. Bot. 32: 392-399.

(330) Vabre, A. 1954. L'hybride Tsugo-Picea hookeriana et ses parents: étude des plantules. (The hybrid Tsuga-Picea hookeriana and its parents: a study of the seedlings. In French.) Trav. Lab. Forest. Toulouse 1 (5), Art. 15. 8 pp.

(331) ---------- 1954. Structure de noyau quiescent de sept especes de coniferes. (Structure of the dormant bud in seven species of conifers. In French.) Paris Acad. des Sci. Compt. Rend. 238: 382-384.

(332) Veen, B. 1954. General remarks on provenance research in forestry. Euphytica 3: 89-96.

(333) Vincent, G. 1954. (Experimental provenance plots for larch.) (In Czech: English summary.) Práce Vyzkumn. Úst. Lesn. ČSR 4: 91-136.

(334) Vité, J. P. 1954. Unterschiedliche Anfälligkeit von Larix europaea, leptolepis und deren Bastarden gegen Larchenblasenfuss (Taeniothrips laricivorus) als Ursache verschiedener Wipfelformen. (Varying susceptibility of Larix europaea, L. leptolepis and their hybrids to attack by Taeniothrips laricivorus) as a possible cause of differences in crown form. In German.) Ztschr. f. Forstgenetik 3: 86-87.

(335) Vloten, H. van. 1954. Jeugdgroei van nakomelingschappen uit Kruisingen met Leuce-populieren, een generatieve toetsing van daarbij gebruikte ouders. (Juvenile growth of hybrids within the section

Leuce, Populus. In Dutch.) T.N.O. Nieuws 99: 195-200.

(336) Vloten, H. van. 1954. (The Scottish hybrid of Japanese larch in the Netherlands. In Dutch: English summary.) Nederland. Boschbouw Tijdschr. 26: 340-343.

(337) Wakeley, Philip G. 1954. The relation of geographic race to forest tree improvement. Jour. Forestry 52: 653-655.

(338) ---------- and Campbell, Thomas E. 1954. Some new pine pollination techniques. U. S. Forest Serv. South. Forest Expt. Sta. Occas. Paper 136. 13 pp.

(339) Waterman, Alma. 1954. Surface sterilization of hybrid poplar cuttings. U.S. Forest Serv. Northeast. Forest Expt. Sta. Res. Note 32. 3 pp.

(340) Wells, J. S. 1954. Open bench grafting. Amer. Nurseryman 99: 83-87.

(341) Wenger, Karl F. 1954. The stimulation of loblolly pine seed trees by preharvest release. Jour. Forestry 52: 115-118.

(342) Went, J. C. 1954. The Dutch elm disease. Summary of fifteen years hybridization and selection work (1937-1952). Tijdschr. over Plantenziekten 60: 109-128.

(343) ---------- 1954. Verslag van de onderzoekningen over de Iepenziekte verricht op het Phytopathologisch Laboratorium W. C. Scholten te Baarn. 1939-1953. (Report on the research on the Dutch elm disease carried on at the Phytopathological Laboratory W. C. Scholten at Baarn, 1939-1953. In Dutch.) Med. Comite Bestudering en Bestijding van de Iepenziekte en andere Boomziekte 1939-1954.

(344) Wettstein, W. von. 1954. Ergebnisse der Pappel-Sortenprüfung in Österreich 1949-1953. (Results of poplar variety testing in Austria, 1949-1953. In German.) Allg. Forstztschr. 9: 235-236.

(345) ---------- 1954. Pappelkulturen in Spanien. (Poplar culture in Spain. In German.) Allg. Forstztschr. 9: 425.

(346) ---------- 1954. Einfluss der Tageslänge auf das Wachstum der Kiefer (Pinus silvestris). (Influence

of day length on the growth of Scotch pine. In German.) Ztschr. f. Forstgenetik 3: 142.

(347) Wettstein, W. von., and Grüll, H. 1954. Das photoperiodische Verhalten von Kieferherkünften (Pinus sylvestris S.L.) (The photoperiodic response of different Scots Pine provenances. In German: English summary.) Internatl. Bot. Cong. Proc. 8 Sect. 13: 17-19. Paris.

(348) Wilde, S. A. 1954. Soils and forest tree breeding. Jour. Forestry 52: 928-932.

(349) Wilkinson, J. 1954. The cytotaxonomy of some Salix species. Internatl. Cong. Bot. Proc. 8 Sect. 9: 91-92. Paris.

(350) Woods, Frank. 1954. We need an American Society for Forest Genetics. Jour. Forestry 52: 361.

(351) Wright, Jonathan W. 1954. Preliminary report on a study of races in black walnut. Jour. Forestry 52: 673-675.

(352) ---------- 1954. Racial variation and individual tree selection in the Northeast. Northeast. Forest Tree Improve. Conf. Proc. 1: 20-25.

(353) ---------- 1954. Interspecific hybridization in spruce, maple, and ash at the Northeastern Forest Experiment Station. Northeast. Forest Tree Improve. Conf. Proc. 1: 77-81.

(354) ---------- 1954. (A survey of forest genetics research.) Translated into Chinese by Yu Hou in Sci. Agr. 2: 13-17. Originally in Jour. Forestry 51: 330-333. 1953.

(355) Wyckoff, Stephen N. 1954. Forest Genetics Research Foundation. Jour. Forestry 52: 686-688.

(356) Yanagisawa, T. 1954. (Some phenological observations of the forest trees at various altitudes of Mt. Muine in Hokkaido. In Japanese: English summary.) Hokkaido Forest Expt. Sta. Rpt. 2: 71-92.

(357) ---------- 1954. (F1 hybrids between Picea jezoensis and P. glauca. In Japanese: English summary.) Hokkaido Forest Expt. Sta. Rpt. 2: 57-70. Rin-go Shiken-Hokohu 70: 57-70.

(358) Zinnai, I., and Hukuhara, N. 1954. (Rooting of the cuttings from the clones of colchicine-induced tetraploid Sugi (Cryptomeria japonica D. Don.) In Japanese: English summary.) Jap. Forestry Soc. Jour. 36: 232-233.

(359) Zobel, Bruce. 1954. Is an "American Society for Forest Genetics" needed? Jour. Forestry 52: 607.

(360) ---------- 1954. Selection in the intensive phase of forest tree improvement. Jour. Forestry 52: 649-650.

(361) ---------- 1954. The role of genetics in improving planting stock. La. Univ. School Forestry, Proc. Forestry Symposium 3: 48-51.

(362) ---------- Dorman, K. W., Perry, T., Garin, G., and Wiesehuegel, E. G. 1954. The role of genetics in southern forest management. Forest Farmer 14 (1): 4-6, 14, 15--14 (2): 8, 9, 14-19--14 (3): 8, 9, 14, 15.

(363) ---------- and Goddard, Ray E. 1954. Pine flowering and seed ripening in Texas. Texas Forest Serv. Res. Note 8. 10 pp.

INDEX

(Numbers refer to articles cited)

Abies: 159, 213, 246.
Acer: 353.
A. saccharum: 61, 133, 322.
X A. senecaensis: 307
Arbeitsgemeinschaft für Forstgenetik und Forstpflanzenzüchtung: 2, 277, 283, 318.
Arboreta: 226, 239, 286.

Betula: 53, 120, 128, 160, 231, 261, 293.
Bibliographies: 64, 155.
Boyce Thompson Institute: 37.

California: 248.
Canada: 97.
Castanea: 19, 41, 42, 85, 86, 206, 229, 328.
C. mollissima: 54, 200.
Chamaecyparis obtusa: 270.
Chromosome numbers: 243, 306.
Clonal tests (see Vegetative propagation).
Cone size: 303.
Conifers: 71, 80, 87, 135, 157, 163, 242, 331.
Controlled pollination (see Technique, Progeny tests).
Crataegus: 29.
Cryptomeria japonica: 39, 84, 191, 199, 271, 301, 321, 325, 358.
Cytology (see also Chromosome numbers): 50, 153, 202, 243, 306, 349.

Denmark: 27, 266.
Disease resistance: 20, 65, 72, 85, 91, 99, 189, 190, 238, 249, 250, 253, 298, 299, 300, 311, 313, 328, 342, 343.

Ecotypes (see Provenance).
Embryo culture: 89.
Eucalyptus: 43, 44, 240, 241.
Euonymus: 40.
Evolution: 5, 87, 163.
Exotics (see also Arboreta): 8, 11, 251, 256, 320.

F_2 populations: 76.
Fagus sylvatica: 131, 132, 203, 275.
Finland: 251, 315.
Florida: 180, 235.
Flower formation (see also Fruit): 144, 160, 213, 267, 273, 363.
Forest Genetics Research Foundation: 10, 355.

Fraxinus: 353.
Fruit induction (see also Flower formation): 90, 103, 212, 341.
Fruit production (see also Seed production): 21, 68, 79, 121, 173, 363.

General: 23, 24, 27, 30, 60, 74, 75, 97, 105, 107, 125, 140, 150, 151, 161, 166, 167, 180, 221, 222, 223, 224, 234, 237, 282, 289, 292, 326, 348, 350, 354, 359, 361, 362.
Germany: 2, 102, 140, 256.
Ginkgo: 37, 57, 153, 202, 327.
Grafting (see Vegetative propagation).
Growth: 32, 317.
Gymnosperms: 35.

Hardwoods: 216.
Hybrids
  Racial: 143, 288.
  Species: 5, 7, 29, 43, 44, 49, 52, 59, 76, 85, 86, 94, 101, 113, 118, 129, 188, 197, 274, 288, 297, 307, 312, 318, 330, 334, 335, 336, 353, 357.
  Vegetative: 40.

Ilex opaca: 228.
Inbreeding (see Selfing).
Indonesia: 8.
Insect resistance: 33, 134, 197, 206, 249, 253, 334.
Institute of Paper Chemistry: 1.
Irradiation: 198, 247, 305.

Japan: 326.
Juglans nigra: 351.

Lake States: 155, 264, 265.
Larix: 37, 45, 110, 147, 157, 167, 197, 246, 315, 333, 334, 336.
L. europea: 260, 310.
L. leptolepis: 168, 212, 291.
Light: 16, 267.
Liriodendron: 154.

Metasequoia: 92, 93.
Morus: 50.

Naval stores (see Resin, Pinus).
Near East: 3.
New York: 98, 157.
Northeastern United States: 287.
Northern Rocky Mountains: 313.

Ohio: 133.
Oregon: 68.

Pacific Northwest: 60.
Phenology: 356.
Photoperiodism: 218, 219, 220, 225, 329, 346, 347.
Phylogeny (see Evolution).
Picea: 353.
P. abies: 6, 11, 23, 24, 25, 28, 32, 114, 139, 141, 142, 143, 144, 145, 209, 254, 259.
P. jezoensis x glauca: 357.
P. sitchensis: 83, 330.
Pinus: 38, 46, 58, 80, 109, 113, 157, 167, 169, 195, 230, 248, 323.
P. apacheca: 194.
P. banksiana: 276.
P. brutia: 47, 49.
P. contorta: 38, 171, 193.
P. densiflora: 208, 267, 325.
P. elliottii: 90, 137, 156, 175, 176, 178, 179, 181, 182, 183, 184, 185, 186, 187, 285, 308, 309.
P. halepensis: 49.
P. lambertiana: 89.
P. monticola: 238, 313, 314.
P. palustris: 177.
P. pinaster: 51.
P. radiata: 15.
P. resinosa: 66, 103, 244, 262, 263.
Pinus, southern United States: 82, 104, 180, 234, 235, 324, 338, 360, 361, 363.
P. strobus: 56, 118, 134, 190, 217, 250.
P. strobus x griffithii: 188.
P. sylvestris: 6, 11, 22, 24, 31, 79, 102, 114, 121, 172, 173, 198, 207, 280, 303, 304, 305, 346, 347.
P. taeda:62, 341.
Pollen: 6, 36, 53, 58, 69, 268, 269, 327.
Polyploidy: 59, 109, 110, 288, 295, 358.
Populus: 3, 7, 14, 16, 23, 24, 48, 52, 77, 78, 88, 106, 116, 117, 130, 136, 149, 152, 215, 225, 227, 272, 284, 297, 299, 300, 339, 344, 345.
Populus, section Leuce: 335.
P. alba: 164, 302.
X P. canescens: 100, 294, 295, 296.
X P. euramericana: 115, 232.
P. grandidentata x alba: 170.
X P. rogalinensis: 129.
P. tremula: 26, 81, 95, 100, 164, 165, 274.
P. tremula x tremuloides: 76, 94, 298.
P. tremuloides: 122.
P. trichocarpa: 219.
Progeny tests, 2-parent: 39, 63, 95, 142, 176, 182, 183, 184, 203, 240, 310, 314.
Provenance: 11, 18, 28, 31, 47, 66, 96, 112, 131, 132, 139, 159, 171, 172, 185, 191, 207, 244, 252, 255, 260, 263, 276, 280, 281, 293, 301, 323, 332, 333, 337, 347, 351, 352.

Pseudotsuga menziesii: 17, 68, 72, 99, 112, 189, 210, 252, 255, 281.

Quercus: 5, 34, 158, 286.
Q. borealis: 18, 111.
Q. robur: 123.
Q. suber: 201.

Races (see Provenance).
Resistance (see Diseases, Insects).
Resin: 169, 182, 236, 285.
Ribonucleic acid: 35.
Robinia pseudoacacia: 108.
Rooting (see Vegetative propagation).

Salix: 101, 214, 312, 349.
S. bakko: 269.
Seed
  Certification: 12, 17, 67, 96, 98, 138.
  Germination: 84, 165, 185, 229, 246, 258, 271, 321.
  Orchards: 53, 62, 114, 231, 233, 245, 323.
  Origin (see Provenance).
  Production (see also Fruit): 32, 62, 79, 245, 254, 280.
  Quality: 121, 198, 199.
  Size: 303, 304, 305.
Seedlings: 71, 279.
Selection: 13, 16, 63, 82, 119, 125, 139, 152, 158, 169, 177, 186, 201, 214, 245, 278, 280, 288, 290, 323, 325, 352, 360.
Selfing: 79, 178, 210, 288, 295, 296.
Sex: 148, 153, 202, 267, 272.
Society for Practical Forest Tree Breeding: 9.
Southern Forest Tree Improvement Committee: 126, 211.
Species hybridization (see Hybridization, species).
Stomata size: 149.
Sweden: 27.

Technique
  Climbing: 70, 146, 192.
  Controlled pollination: 41, 203, 230, 257, 338.
  Testing: 196, 290, 316, 319.
Texas: 324.
Thuja plicata: 311.
Tsuga: 205, 330.

Ulmus: 65, 342, 343.

Vegetative propagation: 34, 51, 56, 57, 61, 63, 100, 181, 204.
  Air layering: 124.
  Grafting: 4, 22, 38, 46, 55, 121, 127, 141, 147, 158, 174, 175, 179, 183, 187, 273, 275, 304, 308, 309, 323, 340, 358.

Rooting: 73, 77, 92, 93, 108, 162, 187, 191, 208, 217, 242, 270, 339, 358.
Vermont: 322.

Wood: 195, 244, 284.
Figured grain (Betula): 128, 231, 261.

X-rays (see Irradiation).

AGRICULTURE-FOREST SERVICE-UPPER DARBY